

**Extended List of References**

- Araújo, B. M. C. (2016). *Aritméticas Intervalares Aplicadas à Solução do Problema de Fluxo de Potência via Equações de Injeção de Corrente*. Dissertação de Mestrado. Universidade Federal de Juiz de Fora.
- Banks, J., Brooks, J., Cairns, G., Davis, G., & Stacey, P. (1992). On Devaney's Definition of Chaos. *The American Mathematical Monthly*, 99(4), 332. <http://doi.org/10.2307/2324899>
- Bradley, J. (2007). An Augustinian perspective on the philosophy of mathematics. *Journal of the Association of Christians in Mathematics*, 2007, 1–13.
- Bresten, C. L., & Jung, J. (2009). A study on the numerical convergence of the discrete logistic map. *Communications in Nonlinear Science and Numerical Simulation*, 14(7), 3076–3088. <http://doi.org/10.1016/j.cnsns.2008.11.009>
- Brown, R., & Chua, L. O. (1996). Clarifying Chaos: Examples and Counterexamples. *International Journal of Bifurcation and Chaos*, 06(02), 219–249. <http://doi.org/10.1142/S0218127496000023>
- Buscarino, A., Fortuna, L., & Frasca, M. (2014). The Jerk Dynamics of Chua's Circuit. *International Journal of Bifurcation and Chaos*, 24(06), 1450085. <http://doi.org/10.1142/S0218127414500850>
- C. Sprott, J. (2000). A new class of chaotic circuit. *Physics Letters A*, 266(1), 19–23. [http://doi.org/10.1016/S0375-9601\(00\)00026-8](http://doi.org/10.1016/S0375-9601(00)00026-8)
- Corless, R. M. (1994). What good are numerical simulations of chaotic dynamical systems? *Computers & Mathematics with Applications*, 28(10), 107–121. [http://doi.org/http://dx.doi.org/10.1016/0898-1221\(94\)00188-X](http://doi.org/http://dx.doi.org/10.1016/0898-1221(94)00188-X)
- Corless, R. M., Essex, C., & Nerenberg, M. A. H. (1991). Numerical methods can suppress chaos. *Physics Letters A*, 157(1), 27–36. [http://doi.org/http://dx.doi.org/10.1016/0375-9601\(91\)90404-V](http://doi.org/http://dx.doi.org/10.1016/0375-9601(91)90404-V)
- Epstein, D., & Levy, S. (1995). Experimentation and proof in mathematics. *Notices of the American Mathematical Society*, 42(6), 670–674. Retrieved from <http://www.ams.org/notices/199506/levy.pdf>
- Feigenbaum, M. J. M. J. (1978). Quantitative universality for a class of nonlinear transformations. *Journal of Statistical Physics*, 19(1), 25–52. <http://doi.org/10.1007/BF01020332>
- Felscher, W. (2000). Bolzano, Cauchy, Epsilon, Delta. *The American Mathematical Monthly*, 107(9), 844–862. Retrieved from <http://www.jstor.org/stable/2695743>
- Ferrar, W. L. (1938). *A Text-Book of Convergence*. Oxford : Clarendon Press.

- Ford, J. (1986). Chaos: solving the unsolvable, predicting the unpredictable. In *Chaotic dynamics and fractals*. Academic Press.
- Fowler, D. (1992). Dedekind's Theorem:  $\sqrt{2} \times \sqrt{3} = \sqrt{6}$ . *Mathematical Association of America*, 99(8), 725–733.
- Galias, Z. (2002). Proving the existence of long periodic orbits in 1D maps using interval Newton method and backward shooting. *Topology and Its Applications*, 124(1), 25–37. [http://doi.org/10.1016/S0166-8641\(01\)00227-9](http://doi.org/10.1016/S0166-8641(01)00227-9)
- Galias, Z. (2013). The Dangers of Rounding Errors for Simulations and Analysis of Nonlinear Circuits and Systems?and How to Avoid Them. *IEEE Circuits and Systems Magazine*, 13(3), 35–52.
- Galias, Z., & Tucker, W. (2015). Is the Hénon attractor chaotic? *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 25(3), 033102. <http://doi.org/10.1063/1.4913945>
- Gilmore, R., Lefranc, M., & Tufillaro, N. B. (2012). *The topology of chaos: Alice in stretch and squeezeland*. *American Journal of Physics* (Vol. 71). John Wiley & Sons. <http://doi.org/10.1119/1.1564612>
- Gleick, J. (1988). *Chaos, Making a New Science*. *American Journal of Physics* (Vol. 56). London: Abacus. <http://doi.org/10.1119/1.15345>
- Guckenheimer, J., & Holmes, P. (1983). *Nonlinear Oscillations, Dynamical Systems, and Bifurcation of Vector Fields*. New York: Springer-Verlag.
- Hammel, S. M., Yorke, J. A., & Grebogi, C. (1987). Do numerical orbits of chaotic dynamical processes represent true orbits? *Journal of Complexity*, 3(2), 136–145. [http://doi.org/10.1016/0885-064X\(87\)90024-0](http://doi.org/10.1016/0885-064X(87)90024-0)
- Hedman, B. (1993). Cantor's Concept of Infinity: Implications of Infinity for Contingence. *Perspectives on Science and Christian Faith*, 46(March 1993), 8–16. Retrieved from <http://www.asa3.org/asa/PSCF/1993/PSCF3-93Hedman.html>
- Hénon, M. (1976). A two-dimensional mapping with a strange attractor. *Communications in Mathematical Physics*, 50(1), 69–77. <http://doi.org/10.1007/BF01608556>
- IEEE Standard for Floating-Point Arithmetic. (2008). *IEEE Std 754-2008*, 1–70. <http://doi.org/10.1109/IEEESTD.2008.4610935>
- Ju, Q., Hickey, T., & Emden, M. H. Van. (2001). Interval arithmetic: From principles to implementation. *J. Acm*, 48(5), 1038–1068. <http://doi.org/10.1145/502102.502106>
- Kantz, H. (1994). A robust method to estimate the maximal Lyapunov exponent of a time series. *Physics Letters A*, 185(1), 77–87. [http://doi.org/10.1016/0375-9601\(94\)90991-1](http://doi.org/10.1016/0375-9601(94)90991-1)
- Kearfott, R. B. (1996). Interval Computations: Introduction, Uses, and Resources. *Euromath Bulletin*, 2(1), 95–112.
- Kim, B. J., & Choe, G. H. (2010). High precision numerical estimation of the largest Lyapunov exponent. *Communications in Nonlinear Science and Numerical Simulation*, 15(5), 1378–

1384. <http://doi.org/10.1016/j.cnsns.2009.05.064>

- Kulisch, U. W. (2009). Complete Interval Arithmetic and its Implementation on the Computer Remarks on Floating-Point Arithmetic R and IF. *Numerical Validation, LNCS 5492*, 7–26.
- Lagarias, J. C. (1985). The  $3x + 1$  Problem and Its Generalizations. *The American Mathematical Monthly*, 92(1), 3–23.
- Letellier, C., Mendes, E. M. A. M., & Mickesn, R. E. (2007). Nonstandard Discretization Schemes Applied To the Conservative Hénon–Heiles System. *International Journal of Bifurcation and Chaos*, 17(03), 891–902. <http://doi.org/10.1142/S0218127407017616>
- Ljung, L. (1987). *System identification: theory for the user*. Prentice-Hall, London.
- Lorenz, E. N. (1963). Deterministic Nonperiodic Flow. *Journal of the Atmospheric Sciences*, 20(2), 130–141.
- Lozi, R. (2013). *Can we trust in numerical computations of chaotic solutions of dynamical systems ? Topology and dynamics of Chaos, World Scientific Series in Nonlinear Science Series A*, 84.
- Manneville, P., & Pomeau, Y. (1979). Intermittency and the Lorenz model. *Physics Letters A*, 75(1-2), 1–2. [http://doi.org/10.1016/0375-9601\(79\)90255-X](http://doi.org/10.1016/0375-9601(79)90255-X)
- May, R. M. (1976). Simple mathematical models with very complicated dynamics. *Nature*, 261(5560), 459–67.
- Monteiro, L. H. A. (2002). *Sistemas Dinâmicos*. São Paulo: Editora Livraria da Física.
- Murray, J. D. (1993). *Mathematical biology* (Vol. 2nd). Berlin: Springer.
- Nepomuceno, E. G., Takahashi, R. H. C., Aguirre, L. A., Neto, O. M., & Mendes, E. M. A. M. (2002). Multiobjective Nonlinear System Identification: a Case Study with Thyristor Controlled Series Capacitor ({TCSC}). *Anais Do XIV Congresso Brasileiro de Automática*.
- Nepomuceno, E. G. (2014). Convergence of recursive functions on computers. *The Journal of Engineering*, 1–3. Retrieved from <http://digital-library.theiet.org/content/journals/10.1049/joe.2014.0228>
- Nepomuceno, E. G., & Martins, S. A. M. (2016). A lower bound error for free-run simulation of the polynomial NARMAX. *Systems Science & Control Engineering*, 4(1), 50–58. <http://doi.org/10.1080/21642583.2016.1163296>
- Newman, M. E. J. (2003). The structure and function of complex networks. *Society for Industrial and Applied Mathematics*, 45(2), 167–256.
- Ott, E. (2002). *Chaos in Dynamical Systems (Second edition)*. Cambridge: Cambridge University Press.
- Overton, M. L. (2001). *Numerical Computing with IEEE Floating Point Arithmetic*. Society for Industrial and Applied Mathematics.
- Peck, S. L. (2004). Simulation as experiment: a philosophical reassessment for biological modeling.

*Trends in Ecology & Evolution*, 19(10), 530–534. <http://doi.org/10.1016/j.tree.2004.07.019>

Perez, J. A. (2010). Addressing mathematical inconsistency: Cantor and Godel refuted, 1–68. Retrieved from <https://arxiv.org/ftp/arxiv/papers/1002/1002.4433.pdf>

Pemantle, R., & Schneider, C. (2015). Equal to 1 ?, *114*(4), 344–350.

Pereira, D. S. P., Kurcbart, S., & Nepomuceno, E. G. (2005). Using Scilab for nonlinear dynamic systems. In *Proceedings of COBEM 2005* (pp. 1–8).

Popper, K. (1962). *Conjectures and refutations: The growth of scientific knowledge*. New York: Basic Books.

Richman, F. (1999). Is  $0.999 \dots = 1$ ? *Mathematics Magazine*, 72(5), 396–400.

Rodrigues, M. S., Nepomuceno, E. G., Amaral, G. F. V., & Silva, V. V. R. (2016). Simulation of Chua's Circuit by means of Interval Analysis. In *Analys of 6th International Conference on Nonlinear Science and Complexity* (pp. 1–4). São José dos Campos - Brazil.

Rosenstein, M. T., Collins, J. J., & De Luca, C. J. (1993). A practical method for calculating largest Lyapunov exponents from small data sets. *Physica D: Nonlinear Phenomena*, 65(1-2), 117–134. [http://doi.org/10.1016/0167-2789\(93\)90009-P](http://doi.org/10.1016/0167-2789(93)90009-P)

Rossler, O. E. (1979). An equation for hyperchaos. *Physics Letters A*, 71(2-3), 155–157. [http://doi.org/10.1016/0375-9601\(79\)90150-6](http://doi.org/10.1016/0375-9601(79)90150-6)

Rössler, O. E. (1976). An equation for continuous chaos. *Physics Letters A*, 57(5), 397–398.

Rudin, W. (1976). *Principles of Mathematical Analysis*. 1960 (3rd ed., Vol. 22). McGraw-Hill New York. <http://doi.org/10.2307/3608793>

Rump, S. M. (1999). INTLAB - INTerval LABoratory. In T. Csendes (Ed.), *Developments in Reliable Computing* (pp. 77–104). Dordrecht: Kluwer Academic Publishers.

Russell, B. (1920). *Introduction to Mathematical Philosophy* (George All).

Sanchez, A. L. (2010). Cantor versus Cantor, (I), 1–13.

Sano, M., & Sawada, Y. (1985). Measurement of the Lyapunov Spectrum from a Chaotic Time Series. *Physical Review Letters*, 55(10), 1082–1085. <http://doi.org/10.1103/PhysRevLett.55.1082>

Santos, F. O. dos. (2007). *Dinâmica caótica em um circuito eletrônico*. Dissertação de Mestrado. Universidade Federal de Pernambuco.

Sauer, T. . b, Grebogi, C. . d, & Yorke, J. A. . (1997). How long do numerical chaotic solutions remain valid? *Physical Review Letters*, 79(1), 59–62.

Scheinerman, E. R. (1996). *Invitation to dynamical systems*. Courier Corporation.

Steen, L. A. (1971). New Models of the Real-Number Line. *Scientific American*, 225(2), 92–99.

Tucker, W. (1999). The Lorenz attractor exists. *Comptes Rendus de l'Académie Des Sciences-Series I-Mathematics*, 328(12), 1197–1202.

- Upadhyay, R. K., & Rai, V. (1997). Why chaos is rarely observed in natural populations? *Chaos Solitons and Fractals*, 8(12), 1933–1939.
- Wolf, A., Swift, J. B., Swinney, H. L., & Vastano, J. A. (1985). Determining Lyapunov exponents from a time series. *Physica D: Nonlinear Phenomena*, 16(3), 285–317.  
[http://doi.org/10.1016/0167-2789\(85\)90011-9](http://doi.org/10.1016/0167-2789(85)90011-9)
- Yabuki, M., & Tsuchiya, T. (2013). Double Precision Computation of the Logistic Map Depends on Computational Modes of the Floating-point Processing Unit. *ArXiv E-Prints*, 1–10. Retrieved from <http://arxiv.org/abs/1305.3128v1>